

MATERIAL SAFETY DATA SHEET

KonCote Bond

PRODUCT IDENTIFICATION

KonCote Bond

KonCote Products, Inc.
1111 Highway 25 N.
Buffalo, MN 55313

Emergency Telephone: Chemtrec 800-424-9300

MSDS Date: 06/21/03

COMPONENT INFORMATION

<u>No.</u>	<u>CAS REG NO.</u>	<u>AMT.(%)</u>
1. Acrylic Polymer	Not Hazardous	46-48
2. Individual residual monomers	Not Required	<0.1
3. Water	7732-18-5	52-54

EMERGENCY RESPONSE INFORMATION

FIRST AID PROCEDURES

<u>Inhalation</u>	Move subject to fresh air.
<u>Eye Contact</u>	Flush eyes with a large amount of water for at least 15 minutes. Consult a physician if irritation persists.
<u>Skin Contact</u>	Wash affected skin areas thoroughly with soap and water. Consult a physician if irritation persists.
<u>Ingestion</u>	If swallowed, give 2 glasses of water to drink. Consult a physician. Never give anything by mouth to an unconscious person.

FIRE FIGHTING INFORMATION

<u>Unusual Hazards</u>	Material can splatter above 100°C/212°F. Polymer film can burn.
<u>Extinguishing Agents</u>	Use extinguishing media appropriate for surrounding fire.
<u>Personal Protective Equipment</u>	Wear self-contained breathing apparatus (pressure-demand MSHA/NIOSH approved or equivalent), and full protective gear.

Product Name: MC BOND

SPILL OR LEAK HANDLING INFORMATION

Personal Protection Appropriate protective equipment must be worn when handling a spill of this material. See The PERSONAL PROTECTION MEASURES Section for recommendations. If exposed to material during clean-up operations, see the FIRST AID PROCEDURES Section for actions to follow.

Procedures Keep spectators away. Floor may be slippery; use care to avoid falling.
Contain spills immediately with inert materials (e.g. sand, earth). Transfer liquids and solid diking material to separate suitable containers for recovery or disposal.

CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

HAZARD INFORMATION

HEALTH EFFECTS FROM OVEREXPOSURE

Primary Routes of Exposure Inhalation
Skin Contact

Inhalation Inhalation of vapor or mist can cause the following: headache, nausea, irritation of nose, throat, and lungs

Eye Contact Direct contact with material can cause the following: slight irritation

Skin Contact Prolonged or repeated skin contact can cause the following: slight skin irritation

FIRE AND EXPLOSIVE PROPERTIES

Flash Point	No combustive
Auto-ignition temperature	Not Applicable
Lower explosive limit	Not Applicable
Upper explosive limit	Not Applicable

Product Name: KonCote Bond

REACTIVITY INFORMATION

Instability This material is considered stable. However, avoid temperatures above 177C/350F, the onset of polymer decomposition. Thermal decomposition is dependent on time and temperature.

Hazardous Decomposition Product Thermal decomposition may yield acrylic monomers.

Hazardous Polymerizaion Product will not undergo polymerization.

Incompatibility There are no known materials, which are incompatible with this product.

ACCIDENT PREVENTION INFORMATION

COMPONENT EXPOSURE INFORMATION

Component Information

<u>No.</u>	<u>CAS REG NO.</u>	<u>AMT.(%)</u>
1. Acrylic Polymer	Not Hazardous	46-48
2. Individual residual monomers	Not Required	<0.1
3. Water	7732-18-5	52-54

Exposure Limit Information

Component No.	ROHM AND HAAS		OSHA		ACGIH	
	Units	TWA	STEL	TWA	STEL	STEL
1		None	None	None	None	None
2		a	a	a	a	a
3		None	None	None	None	None

a = Not Required

Product Name: KonCote Bond

PERSONAL PROTECTION MEASURES

- Respiratory Protection None required under normal operating conditions. When mist occurs during spraying operations, wear a MAHA/NIOSH-approved (or equivalent) disposable half-mask dust/mist respirator.
- Eye Protection Use chemical splash goggles (ANSI Z87.1 or approved equivalent).
- Hand Protection The glove(s) listed below may provide protection against permeation. Gloves of other chemically resistant materials may not provide adequate protection:
- Neoprene

FACILITY CONTROL MEASURES

- Ventilation Use local exhaust ventilation with a minimum capture velocity of 100 ft/min. (30 m/min.) at the point of vapor evolution. Refer to the current edition of Industrial Ventilation: A Manual of Recommended Practice published by the American Conference of Governmental Industrial Hygienists for information on the design, installation, use, and maintenance of exhaust systems.
- Other Protective Equipment Facilities storing or utilizing this material should be equipped with an eyewash facility.

STORAGE AND HANDLING INFORMATION

- Storage Conditions Keep from freezing; material may coagulate. The minimum recommended storage temperature for this material is 1C/34F. The maximum recommended storage temperature for this material is 49C/120F.
- Handling Procedures Monomer vapors can be evolved when material is heated during processing operations. See FACILITY CONTROL MEASURES Section for types of ventilation required.

Product Name: KonCote Bond

SUPPLEMENTAL INFORMATION

TYPICAL PHYSICAL PROPERTIES

Appearance	Milky
Color	White
State	Liquid
Odor Characteristic	Acrylic odor
pH	9.5 – 10.5
Viscosity	60 CPS Maximum
Specific Gravity (Water = 1)	1.0 – 1.2
Vapor Density (Air = 1)	< 1 Water
Vapor Pressure	17 mm Hg @ 20°C/68°F Water
Melting Point	0°C/32°F Water
Boiling Point	100°C/212°F Water
Solubility in Water	Dilutable
Percent Volatility	52-54 % Water
Evaporation Rate (BAc = 1)	< 1 Water

TOXICITY INFORMATION

Acute Data

The information shown in the HEALTH EFFECTS FROM OVEREXPOSURE Section is based on the toxicity profiles for a number of acrylic emulsions that are compositionally similar to this product. Typical data are:

Oral LD50 – rat: >5000mg/kg

Dermal LD50 – rabbit: >5000mg/kg

Skin irritation – rabbit: practically non-irritating

Eye irritation – rabbit: inconsequential irritation

WASTE DISPOSAL

Procedure

Coagulate the emulsion by the stepwise addition of ferric chloride and lime. Remove the clear supernatant and flush to a chemical sewer. Incinerate liquid and contaminated solids in accordance with local, state, and federal regulations.

REGULATORY INFORMATION

WORKPLACE CLASSIFICATIONS

This product is considered non-hazardous under the OSHA Hazard Communication Standard (29CFR 1910.1200).

This product is not a “controlled product” under the Canadian Workplace Hazardous Materials Information System (WHMIS).

Product Name: KonCote Bond

TRANSPORTATION CLASSIFICATIONS

US DOT Hazard ClassNon Regulated

EMERGENCY PLANNING & COMMUNITY RIGHT-TO-KNOW (SARA TITLE 3)

Section 311/312 Categorizations (40CFR 370)

This product is not a hazardous chemical under 29CFR 1910.1200, and therefore is not covered by Title III of SARA.

Section 313 Information (40CFR 372)

This product does not contain a chemical which is listed in Section 313 above de minimis concentrations.

CERCLA INFORMATION (40CFR 302.4)

Releases of this material to air, land, or water are not reportable to the National Response Center under the comprehensive Environmental Response, Compensations, and Liability Act (CERCLA) or to state and local emergency planning committees under the Superfund Amendments and Reauthorization Act (SARA) Title III Section 304.

RCRA INFORMATION

When this product becomes a waste, it is classified as a non-hazardous waste under criteria of the Resource Conservation and Recovery Act (40 CFR 261).

CHEMICAL CONTROL LAW STATUS

All components of this product are listed, or are excluded from listing, on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

STATE RIGHT-TO-KNOW LAWS

Any material listed as "Not Hazardous" in the CAS REG NO column of the COMPONENT INFORMATION Section of this MSDS is trade secret under the provisions of the Pennsylvania Worker and Community Right-to-Know Act.

Product Name: KonCote Bond

ABBREVIATIONS:

ACGIH = American Conference of Governmental Industrial Hygienists

OSHA = Occupational Safety and Health Administration

TLV = Threshold Limit Value

PEL = Permissible Exposure Limit

TWA = Time Weighted Average Exposure

STEL = Short-Term Exposure Limit

BAC = Butyl acetate

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof.

KonCote Products, Inc. assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.